



## Contents

### Regular papers

Preparation and structural characterization of <i>N</i> -glycated amino acid and linear or cyclic dipeptides containing the 6-amino-6-deoxy-1,2:3,4-di- <i>O</i> -isopropylidene- $\alpha$ -D-galactopyranose moiety M. Čudić, B. Kojić-Prodić, V. Milinković, J. Horvat, Š. Horvat (Zagreb, Croatia), M. Elofsson and J. Kihlberg (Lund, Sweden) . . . . .	1
Investigation of the $\alpha$ -cyclodextrin- <i>myo</i> -inositol phosphate inclusion complex by NMR spectroscopy and molecular modeling S. Crouzy (Grenoble, France), F. Fauville, J.-C. Debouzy (La Tronche, France), M. Göschl and Y. Chapron (Grenoble, France) . . . . .	21
Furanose vs. acyclic forms of carbohydrate ligands. A multinuclear NMR spectroscopy study of the molybdate and tungstate complexes of D-glycero-L-manno-heptose M. Matulová (Bratislava, Slovak Republic), J.-F. Verchère and S. Chapelle (Mont-Saint-Aignan, France) . . . . .	37
A novel approach to the 1-deoxynojirimycin system: synthesis from sucrose of 2-acetamido-1,2-dideoxyojirimycin, as well as some 2- <i>N</i> -modified derivatives G. Gradnig (Graz, Austria), G. Legler (Köln, Germany) and A.E. Stütz (Graz, Austria) . . . . .	49
Structure of amylovoran, the capsular exopolysaccharide from the fire blight pathogen <i>Erwinia amylovora</i> M. Nimtz (Braunschweig, Germany), A. Mort (Stillwater, OK, USA), T. Domke, V. Wray (Braunschweig, Germany), Y. Zhang (Heidelberg, Germany), F. Qiu (Stillwater, OK, USA), D. Coplin (Columbus, OH, USA) and K. Geider (Heidelberg, Germany) . . . . .	59
Polysaccharides as carriers for magnetic resonance imaging contrast agents: synthesis and stability of a new amino acid linker derivative P. Rongved, T.H. Fritzell, P. Strande and J. Klaveness (Oslo, Norway) . . . . .	77
Structure of the O-specific polysaccharide, containing a glycerol phosphate substituent, of <i>Hafnia alvei</i> strain 1220 lipopolysaccharide U. Dabrowski, J. Dabrowski (Heidelberg, Germany), E. Katzenellenbogen, M. Bogulska and E. Romanowska (Wrocław, Poland) . . . . .	91
Biosynthesis of agar polysaccharides in <i>Gracilaria chilensis</i> Bird, McLachlan <i>et al.</i> Oliveira J.A. Hemmingson, R.H. Furneaux (Lower Hutt, New Zealand) and V.H. Murray-Brown (Kilbirnie, New Zealand) . . . . .	101

*Notes*

Crystal structure of an adduct of sarcosine with sucrose  
R.V. Krishnakumar and S. Natarajan (Madurai, India) . . . . . 117

Determination of the O-specific polysaccharide structure in the lipopolysaccharide of *Ochrobactrum anthropi* LMG 3331  
J. Velasco (Pamplona, Spain; Borstel, Germany), H. Moll, E.V. Vinogradov (Borstel, Germany), I. Moriyón (Pamplona, Spain) and U. Zähringer (Borstel, Germany) . . . . . 123

*Information for Authors* . . . . . C1

*Regular Papers*

Thermodynamics of the interaction of  $\alpha$ -cyclodextrin with monocarboxylic acids in aqueous solutions: a calorimetric study at 25 °C  
G. Castronuovo, V. Elia, D. Fessas, F. Velleca and G. Viscardi (Naples, Italy) . . . . . 127

Analysis of charged cyclomalto-oligosaccharides (cyclodextrin) derivatives by ion-spray, matrix-assisted laser-desorption/ionization time-of-flight and fast-atom bombardment mass spectrometry, and by capillary electrophoresis  
B. Chankvetadze, G. Endresz, G. Blaschke (Münster, Germany), M. Juza, H. Jakubetz and V. Schurig (Tübingen, Germany) . . . . . 139

Transition-metal–saccharide chemistry: synthesis and characterisation of D-galactose, D-fructose, D-glucose, D-xylose, D-ribose, and maltose complexes of Mn(II)  
R.P. Bandwar and C.P. Rao (Bombay, India) . . . . . 157

A  $\text{Ca}^{2+}$ -mobilising carbohydrate-based polyphosphate: synthesis of 2-hydroxyethyl  $\alpha$ -D-glucopyranoside 2',3,4-trisphosphate  
D.J. Jenkins and B.V.L. Potter (Bath, UK) . . . . . 169

Di-D-fructose dianhydrides and related oligomers from thermal treatments of inulin and sucrose  
M. Manley-Harris and G.N. Richards (Missoula, MT, USA) . . . . . 183

The glycans of horseradish peroxidase  
B.Y. Yang, J.S.S. Gray and R. Montgomery (Iowa City, IA, USA) . . . . . 203

Isolation by HPLC of the positional isomers of heterogeneous doubly branched cyclomaltohexaose having one  $\alpha$ -D-galactosyl and one  $\alpha$ -D-glucosyl side chain and determination of their structures by enzymatic degradation  
Y. Okada, K. Koizumi (Nishinomiya, Japan) and S. Kitahata (Osaka, Japan) . . . . . 213

Structural studies of the *Vibrio salmonicida* lipopolysaccharide  
P. Edebrink (Stockholm, Sweden), P.-E. Jansson (Huddinge, Sweden), J. Bøgwald and J. Hoffman (Tromsø, Norway) . . . . . 225

*Notes*

Glycosylation reactions of 2,3,4-tri-O-chlorosulfonyl- $\beta$ -L-fucopyranosyl chloride and 2,3,4-tri-O-chlorosulfonyl- $\beta$ -D-xylopyranosyl chloride  
R.E. Hubbard (York, UK), J.G. Montana (Cambridge, UK), P.V. Murphy and R.J.K. Taylor (York, UK) . . . . . 247

Reaction of enzymes with starch granules: reaction of isoamylase with native and gelatinized granules  
A. Kimura and J.F. Robyt (Ames, IA, USA) . . . . . 255

*Contents*

C13

The one-pot esterification of phosphoric acids with silver carbonate and alkyl halides in refluxing toluene J. Gigg and R. Gigg (London, UK) . . . . .	263
A convenient preparation of maltooctaose and maltononaose by the coupling reaction of cyclomal-	
todextrinase R. Uchida, A. Nasu, K. Tobe, T. Oguma and N. Yamaji (Noda City, Japan) . . . . .	271
<i>Author Index</i> . . . . .	C3
<i>Subject Index</i> . . . . .	C5
<i>Contents</i> . . . . .	C11